










Type	Description	For series/item	Unit weight  Kg	Pieces 	ITEM			
					Type	Dim. Hand	Fin.	Peris. Spec.
	<ul style="list-style-type: none"> • Zinc plated cranked internal extended bolts • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of 8 mm. diameter rods - Set of 8 mm. single rods item 1.06291.06.0 - Floor striker item 1.06086.01.0 - Joining pin item 1.06291.20.0 - Set of guide rods item 1.06224.00.0 - Noise proof bushes item 1.06147.00.0 	16225, 16227, 17357, 18128, 18225, 18229, 46200, 46220, 46222, 46225, 46227, 46250, 46252, 46260, 46262, 46265, 46270, 46272, 46275, 48123, 48128, 48153, 48220, 48224, 48225, 48229, 48250, 48254, 57357, 57365, 57375	0,610	12	1	06441	00	0
	<ul style="list-style-type: none"> • Zinc plated straight internal extended bolts • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of 8 mm. diameter rods - Set of 8 mm. single rods item 1.06291.06.0 - Floor striker item 1.06086.01.0 - Joining pin item 1.06291.20.0 - Set of guide rods item 1.06224.00.0 - Noise proof bushes item 1.06147.00.0 	16225, 16227, 17357, 18128, 18225, 18229, 46200, 46220, 46222, 46225, 46227, 46250, 46252, 46260, 46262, 46265, 46270, 46272, 46275, 48123, 48128, 48153, 48220, 48224, 48225, 48229, 48250, 48254, 57357, 57365, 57375	0,566	12	1	06441	10	0
	<ul style="list-style-type: none"> • Zinc plated straight internal extended bolts with screws • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of 8 mm. diameter rods - Set of 8 mm. single rods item 1.06291.06.0 - Floor striker item 1.06086.01.0 - Set of threaded bushes (M8) item 1.06290.05.0 - Joining pin item 1.06291.20.0 - Set of guide rods item 1.06224.00.0 - Noise proof bushes item 1.06147.00.0 	16225, 16227, 17357, 18128, 18225, 18229, 46220, 46222, 46225, 46227, 46250, 46252, 46260, 46262, 46270, 46272, 48123, 48128, 48153, 48220, 48224, 48225, 48229, 48250, 48254, 57357, 57365, 57375	0,630	12	1	06441	20	0


Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> • Set of controls for external extended bolts 	16225, 16227, 17357, 18225, 18229, 46200, 46220, 46222, 46225, 46227, 46250, 46252, 46260, 46262, 46265, 46270, 46272, 46275, 48220, 48224, 48225, 48229, 48250, 48254, 57357, 57365, 57375	0,020	12	1	06442	00	0	
	<ul style="list-style-type: none"> • Set of lateral extended bolts operated by internal rods • Swing bolts • 22 x 3 mm. stainless steel faceplate • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of rods diameter 8 mm. - Set of faceplate spacers item 1.06141.65.0 - Set of guide rods item 1.06224.00.0 • Pin connector item 1.06291.20.0 • ON REQUEST: <ul style="list-style-type: none"> - Special striking plates (see Vademecum) - Personalised internal extended bolts item 1.06449.00.0 	16225, 16227, 17357, 46200, 46220, 46222, 46225, 46227, 46250, 46252, 46260, 46262, 46265, 46270, 46272, 46275, 57357, 57365, 57375	0,854	12	1	06443	00	0	
	<ul style="list-style-type: none"> • Set of lateral extended bolts operated by external rods • Swing bolts • 22 x 3 mm. stainless steel faceplate • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of external bolt connectors - Set of threaded rods • ON REQUEST: <ul style="list-style-type: none"> - Special striking plates (see Vademecum) 	16225, 16227, 17357, 46200, 46220, 46222, 46225, 46227, 46250, 46252, 46260, 46262, 46265, 46270, 46272, 46275, 57357, 57365, 57375	0,513	12	1	06443	05	0	

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM			
					Type	Dim.	Hand	Fin.




- Set of lateral extended bolts operated by internal rods
- Horizontal slide bolts with hardened steel inserts
- 22 x 3 mm. stainless steel faceplate
- Pre-arranged for 4th and 5th locking points
- SUPPLIED AS STANDARD:
 - Set of rods diameter 8 mm.
 - Set of faceplate spacers item 1.06141.65.0
 - Set of guide rods item 1.06224.00.0
 - Pin connector item 1.06291.20.0
- ON REQUEST:
 - Special striking plates (see Vademecum)
 - Internal straight extended bolts item 1.06441.10.0 for 4th and 5th locking points
 - Threaded rod for fixing extended bolts item 1.06449.05.0
 - Personalised internal extended bolts item 1.06449.00.0

18128, 18225, 0,835 12 1 06443 20 0
 18229, 48123,
 48128, 48153,
 48220, 48224,
 48225, 48229,
 48250, 48254






- Set of lateral extended bolts operated by external rods
- Horizontal slide bolts with hardened steel inserts
- 22 x 3 mm. stainless steel faceplate
- Pre-arranged for 4th and 5th locking points
- SUPPLIED AS STANDARD:
 - External bolt connectors
 - Set of threaded rods
- ON REQUEST:
 - Special striking plates (see Vademecum)
 - Threaded rod for fixing extended bolts item 1.06449.05.0







18225, 18229, 0,646 12 1 06443 25 0
 48220, 48224,
 48225, 48229,
 48250, 48254




- Internal extended bolts for personalising lateral locking point distance
- SUPPLIED AS STANDARD:
 - Set of rods diameter 8 mm.
 - Set of pins for fixing rods to lateral extended bolts

1 06443 00 0, 0,495 12 1 06449 00 0
 1 06443 20 0

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> Threaded rod for fixing extended bolts for 4th and 5th locking points 	1 06443 20 0, 1 06443 25 0, 18525, 48520, 48525, 48550	0,002	50	1	06449	05	0	
	<ul style="list-style-type: none"> Additional TOP extended bolt to match: U-shaped faceplate locks Flat faceplate locks (exclusive to profile R 50) SUPPLIED AS STANDARD: - Rod - Hardened steel rod - Guide casing - Threaded rod item 1.06449.05.0 - Faceplate nylon cover 	18425, 18525, 48420, 48425, 48450, 48520, 48525, 48550	0,187	6	1	06449	10	0	
	<ul style="list-style-type: none"> Additional FLOOR extended bolt to match: U-shaped faceplate locks Flat faceplate locks (exclusive to profile R 50) SUPPLIED AS STANDARD: - Rod - Hardened steel rod - Guide casing - Threaded rod item 1.06449.05.0 - Faceplate nylon cover 	18425, 18525, 48420, 48425, 48450, 48520, 48525, 48550	0,135	6	1	06449	11	0	


Type	Description	For series/item	Unit weight 	Pieces 	ITEM			
					Type	Dim.	Hand	Fin.
	<ul style="list-style-type: none"> • Zinc plated internal cranked extended bolts • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of rods diameter 8 mm. - Set of rods diameter 8 mm. item 1.06291.06.0 - Floor striker item 1.06086.01.0 - Joining pin item 1.06291.20.0 - Set of guide rods item 1.06224.00.0 - Noise proof bushes item 1.06147.00.0 	57317, 57325, 57335	0,620	12	1	06451	00	0
	<ul style="list-style-type: none"> • Zinc plated internal straight extended bolts • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of rods diameter 8 mm. - Set of rods diameter 8 mm. item 1.06291.06.0 - Floor striker item 1.06086.01.0 - Joining pin item 1.06291.20.0 - Set of guide rods item 1.06224.00.0 - Noise proof bushes item 1.06147.00.0 	57317, 57325, 57335	0,575	12	1	06451	10	0
	<ul style="list-style-type: none"> • Set of controls for external extended bolts 	57317, 57325, 57335	0,034	12	1	06452	05	0
	<ul style="list-style-type: none"> • Set of lateral extended bolts operated by internal rods • Swing bolts • 25 x 3 mm. stainless steel faceplate • SUPPLIED AS STANDARD: <ul style="list-style-type: none"> - Set of rods diameter 8 mm. - Set of guide rods item 1.06224.00.0 • ON REQUEST: <ul style="list-style-type: none"> - Special striking plates (see Vademecum) - Personalised internal rod extended bolts item 1.06419.10.0 	57317, 57325, 57335	0,865	12	1	06453	05	0

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.



- Internal extended bolts for adjusting the distance of lateral locking points
- SUPPLIED AS STANDARD:
 - Set of 8 mm. diameter rods
 - Set of pins for fixing bolts onto lateral extended bolts

1 06453 05 0 0,605 12 1 06419 10 0



- Set of zinc plated internal extended bolts with screws
- SUPPLIED AS STANDARD:
 - Set of rods diameter 8 mm.
 - Set of rods diameter 8 mm. item 1.06291.06.0
 - Floor striker item 1.06086.01.0
 - Joining pin item 1.06291.20.0
 - Set of guide rods item 1.06224.00.0
 - Noise proof bushes item 1.06147.00.0
 - Set of threaded bushes item 1.06290.00.0

57317,57325, 57335 0,604 12 1 07088 00 0