



Technical features:

- Patented system: key with incorporated mobile element
- Security Card: authorised duplication by Cisa or Cisa Solution Partner
- 12 pins (6+1 active, 5 passive) key biting system
- Carbonitrided solid steel body, with chemical nickel-plating corrosion treatment
- Hardened steel shackle, with chemical nickel-plating treatment
- Carbonitrided steel cylinder protection plate, with chemical nickel-plating treatment
- The removable cylinder can be either rekeyed or replaced


KEY:

- flat reversible keys, with incorporated mobile element
- in nickel silver alloy
- numbered on key bow

Supplied as standard:


- 2 keys
- SECURITY CARD

Type	Description	Key item					Kg	Pieces	ITEM			
		A	C	D	L	S			Pins	Type	Dim.	Hand




• Key removable in locked position only

55	25,0	11,0	25,0	25,0	15	1 00770 00 0	0,553	6	1	28058	55 0
55	25,0	11,0	45,0	25,0	15	1 00770 00 0	0,586	6	1	28058	56 0
55	26,0	11,0	65,0	25,0	15	1 00770 00 0	0,610	6	1	28058	57 0
70	31,0	14,0	25,0	26,0	15	1 00770 00 0	0,854	6	1	28058	70 0
70	31,0	14,0	45,0	26,0	15	1 00770 00 0	0,903	6	1	28058	71 0
70	31,0	14,0	65,0	26,0	15	1 00770 00 0	0,954	6	1	28058	72 0



• Key removable in locked position only

62	25,0	11,0	25,0	25,0	15	1 00770 00 0	0,745	6	1	28358	62 0
73	31,0	14,0	28,0	28,0	15	1 00770 00 0	0,745	6	1	28358	73 0



66	20,0	10,0	11,0	25,0	15	1 00770 00 0	0,677	6	1	28558	66 0
66	18,0	14,0	17,5	28,0	15	1 00770 00 0	0,837	6	1	28558	67 0
75	27,0	12,0	13,5	28,0	15	1 00770 00 0	0,843	6	1	28558	75 0
84	36,0	12,0	17,5	28,0	15	1 00770 00 0	0,995	6	1	28558	84 0
84	36,0	14,0	17,5	28,0	15	1 00770 00 0	0,974	6	1	28558	85 0