



Technical features:

- Zinc-plated steel case
- Zinc-plated steel faceplate
- Steel dead-bolt

Supplied as standard:

- Cylinder fixing screws (for versions with European profile cylinders)

Hand:

0 = Non-handed






1 = R.H. inwards









2 = L.H. inwards








Cylinder to be ordered separately



Use only OG300 OE300 cylinders series

Type	Description	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM						
								Type	Dim.	Hand	Fin.	Pers. Spec.		
	<ul style="list-style-type: none"> • Latch with built-in dead-bolt • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	1	-	22	50	0,789	2	1	42010	50	0			
	<ul style="list-style-type: none"> • Latch with built-in dead-bolt 	1	-	22	50	0,609	2	1	42011	50	0			
	<ul style="list-style-type: none"> • Dead-bolt only • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	2	-	22	50	0,735	2	1	42020	50	0			
	<ul style="list-style-type: none"> • Dead-bolt only 	2	-	22	50	0,550	2	1	42021	50	0			
	<ul style="list-style-type: none"> • Latch with built-in dead-bolt • Inside knob • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	1	-	22	50	0,804	2	1	42030	50	1			
		1	-	22	50	0,804	2	1	42030	50	2			

Type	Description	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM						
								Type	Dim.	Hand	Fin.	Pers. Spec.		
	<ul style="list-style-type: none"> • Latch with built-in dead-bolt • Inside knob 	1	-	22	50	0,607	2	1	42031	50	1			
		1	-	22	50	0,607	2	1	42031	50	2			
	<ul style="list-style-type: none"> • Latch-bolt only • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	-	-	22	30	0,657	2	1	42110	30	0			
	<ul style="list-style-type: none"> • Latch-bolt only • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	-	-	22	30	0,470	2	1	42111	30	0			
	<ul style="list-style-type: none"> • Latch-bolt only • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	1	-	22	30	0,620	2	1	42120	30	0			
	<ul style="list-style-type: none"> • Latch-bolt only • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	1	-	22	30	0,425	2	1	42121	30	0			
	<ul style="list-style-type: none"> • Latch with dead-locking device • Through spindle • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	-	42	22	30	0,713	2	1	42210	30	0			
	<ul style="list-style-type: none"> • Latch with dead-locking device • Through spindle 	-	42	22	30	0,520	2	1	42211	30	0			
	<ul style="list-style-type: none"> • Latch with dead-locking device • Through spindle • Pair of cylinders item 1.02156.00.0 • 3 keys item 1.01330.00.1 	1	42	22	50	0,832	2	1	42310	50	0			

Type	Description	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM					
								Type	Dim.	Hand	Fin.	Pers. Spec.	
	<ul style="list-style-type: none"> Latch with dead-locking device Through spindle 	1	42	22	50	0,650	2	1	42311	50	0		
	<ul style="list-style-type: none"> Latch and dead-bolt (the latch is withdrawn by key and handle) Through spindle Pair of cylinders item 1.02156.00.0 3 keys item 1.01330.00.1 	1	57	22	30	0,853	2	1	42410	30	0		
	<ul style="list-style-type: none"> Latch and dead-bolt (the latch is withdrawn by key and handle) Through spindle 	1	57	22	30	0,671	2	1	42411	30	0		
	<ul style="list-style-type: none"> Latch and dead-bolt (the latch is withdrawn by key and handle) Through spindle Pair of cylinders item 1.02156.00.0 3 keys item 1.01330.00.1 	2	57	22	30	0,724	2	1	42420	30	0		
	<ul style="list-style-type: none"> Latch and dead-bolt (the latch is withdrawn by key and handle) Through spindle 	2	57	22	30	0,538	2	1	42421	30	0		
	<ul style="list-style-type: none"> Latch and dead-bolt (the latch is withdrawn by key and handle) Through spindle Pair of cylinders item 1.02156.00.0 3 keys item 1.01330.00.1 	2	57	22	50	1,018	2	1	42510	50	0		
	<ul style="list-style-type: none"> Latch and dead-bolt (the latch is withdrawn by key and handle) Through spindle 	2	57	22	50	0,825	2	1	42511	50	0		