



Technical features:

- Zinc-plated case
- Zinc-plated faceplate
- Nickel-plated steel dead-bolt
- Picking resistant protection plate (series 57333, 57336 excluded)
- Nickel-plated latch or reversible latch/bolt
- Electrical and mechanical versions are interchangeable


Supplied as standard:

- Instruction sheet

Hand:

0 = Non-handed


Type	Description	Key item	Throws	Centre Distance	Faceplate	Backset	Unit weight 	Pieces 	ITEM				
									Type	Dim.	Hand	Fin.	Pers. Spec.



- Case height 78 mm.
- 2 keys
- Dead-bolt and latch
- Adjustable latch and piston
- Dead-locking latch
- Hold-open device
- Pair of steel roses item 1.06124.02.0
- 12 V ac CE
- ON REQUEST:
 - Zinc plated steel striker item 1.06232.00.0












1 00100 00 1 4 67 25 90 1,220 12 1 17353 90 0








- Case height 78 mm.
- 2 keys
- Dead-bolt and latch
- Adjustable latch and piston
- Dead-locking latch
- Hold-open device
- Pair of steel roses item 1.06124.02.0
- Pre-arranged for additional locking points
- Pair of threaded bushings (M8) item 1.06290.05.0
- Threaded rods for fixing extended bolts
- 12 V ac CE
- ON REQUEST:
 - Extended bolts item 1.06441.15.0
 - Extended bolts item 1.07088.03.0
 - Floor striker item 1.06086.00.0
 - Floor striker with dust cover item 1.06086.02.0
 - Zinc plated steel striker item 1.06232.00.0



1 00100 00 1 4 67 25 90 1,312 12 1 17358 90 0

Type	Description	Key item	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM						
									Type	Dim.	Hand	Fin.	Pers. Spec.		
	<ul style="list-style-type: none"> • Case height 82 mm. • 2 keys • Dead-bolt and latch • Inside steel rose item 1.06124.02.0 • ON REQUEST: Zinc plated steel striker item 1.06232.01.0 	 1 00100 00 1	4	67	25	70	1,040	12	1	57313	73	0			
	<ul style="list-style-type: none"> • As above, keyed alike (KA) • 1 key 	 1 00100 00 1	4	67	25	70	1,016	12	1	57313	72	0			
	<ul style="list-style-type: none"> • Case height 82 mm. • 2 keys • Dead-bolt and latch • Inside steel rose item .06124.02.0 • Pre-arranged for additional locking points • Pair of threaded bushings (M8) item 1.06290.05.0 • ON REQUEST: - Extended bolts item 1.06415.00.0 - Extended bolts item 1.07088.03.0 - Floor striker item 1.06086.00.0 - Floor striker with dust cover item 1.06086.02.0 - Zinc plated steel striker item 1.06232.01.0 	 1 00100 00 1	4	67	25	70	1,100	12	1	57318	73	0			
	<ul style="list-style-type: none"> • As above, keyed alike (KA) • 1 key 	 1 00100 00 1	4	67	25	70	1,100	12	1	57318	72	0			
	<ul style="list-style-type: none"> • Case height 82 mm. • 2 keys • Dead-bolt only • Inside steel rose item 1.06124.02.0 • ON REQUEST: - Zinc plated steel striker item 1.06232.00.0 	 1 00100 00 1	4	-	25	70	0,850	12	1	57333	70	0			
	<ul style="list-style-type: none"> • Case height 82 mm. • 2 keys • Dead-bolt only • Inside steel rose item 1.06124.02.0 • Pre-arranged for extended bolts • Pair of threaded bushings (M8) item 1.06290.10.0 • ON REQUEST: - Extended bolts item 1.06415.00.0 - Extended bolts item 1.07088.03.0 - Floor striker item 1.06086.00.0 - Floor striker with dust cover item 1.06086.02.0 - Zinc plated steel striker item 1.06232.00.0 	 1 00100 00 1	4	-	25	70	0,990	12	1	57336	70	0			

Type	Description	Key item	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM			
									Type	Dim.	Hand	Fin.
	<ul style="list-style-type: none"> • Case height 78 mm. • 2 keys • Dead-bolt and latch • Adjustable latch bolt • Inside steel rose item 1.06124.02.0 • ON REQUEST: <ul style="list-style-type: none"> - Zinc plated steel striker item 1.06232.01.0 	 1 00100 00 1	4	67	25	90	1,100	12	1	57353	90	0
	<ul style="list-style-type: none"> • Case height 78 mm. • 2 keys • Dead-bolt and latch • Adjustable latch • Inside steel rose item 1.06124.02.0 • Pre-arranged for extended bolts • Pair of threaded bushings (M8) item 1.06290.05.0 • Threaded rods for fixing bushings and extended bolts • ON REQUEST: <ul style="list-style-type: none"> - Extended bolts item 1.06441.15.0 - Extended bolts item 1.07088.03.0 - Floor striker item 1.06086.00.0 - Floor striker with dust cover item 1.06086.02.0 - Zinc plated steel striker item 1.06232.01.0 	 1 00100 00 1	4	67	25	90	1,225	12	1	57358	90	0
	<ul style="list-style-type: none"> • As above, keyed alike (KA) • 1 key 	 1 00100 00 1	4	67	25	90	1,225	12	1	57358	92	0