

















































Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
		14010, 14020, 14350, 14450, 14510, 44110, 44115, 44140, 44145, 44150, 44155, 44160, 44165, 44210, 44227, 44240, 44245, 44350, 44450	0,016	25	1	06062	00	0	
		14010, 14020, 14350, 14450, 14510, 44110, 44115, 44140, 44145, 44150, 44155, 44160, 44165, 44210, 44227, 44240, 44245, 44350, 44450	0,019	25	1	06072	00	0	
		1 06443 00 0, 1 06443 05 0, 1 06453 05 0, 17352, 17357, 46200, 46210, 46220, 46420, 57312, 57317, 57330, 57335, 57352, 57357, 57370, 57375	0,024	25	1	06141	35	0	
		57320, 57325, 57360, 57365	0,030	25	1	06141	36	0	
		1 06443 00 0, 1 06443 05 0, 1 06453 05 0, 17352, 17357, 46200, 46210, 46220, 57312, 57317, 57330, 57335, 57352, 57357, 57370, 57375	0,034	25	1	06141	37	0	
		57320, 57325, 57360, 57365	0,030	25	1	06141	38	0	

Type	Description	For series/item	 Unit weight  Pieces	ITEM					
				Type	Dim.	Hand	Fin.	Peris. Spec.	
	<p>• For roller locks item 57320 - 57325 - 57360 - 57365 use nylon insert item 1.06141.75.0</p>	17352, 17357, 57312, 57317, 57320, 57325, 57330, 57335, 57352, 57357, 57360, 57365, 57370, 57375	0,035	25	1 06141 40 0				
		17352, 17357, 57312, 57317, 57320, 57325, 57330, 57335, 57352, 57357, 57360, 57365, 57370, 57375	0,035	25	1 06141 41 0				
		17352, 17357, 57312, 57317, 57320, 57325, 57330, 57335, 57352, 57357, 57360, 57365, 57370, 57375	0,025	25	1 06141 42 0				
		17352, 17357, 57312, 57317, 57320, 57325, 57330, 57335, 57352, 57357, 57360, 57365, 57370, 57375	0,035	25	1 06141 43 0				
		17352, 17357, 57312, 57317, 57320, 57325, 57330, 57335, 57352, 57357, 57360, 57365, 57370, 57375	0,029	25	1 06141 44 0				
		17352, 17357, 57312, 57317, 57320, 57325, 57330, 57335, 57352, 57357, 57360, 57365, 57370, 57375	0,035	25	1 06141 46 0				


Type	Description	For series/item	Unit weight Kg	Pieces	ITEM			
					Type	Dim.	Hand	Fin.
		44220, 44221, 44225, 44226	0,014	25	1	06277	01	0
		14460, 14461, 44120, 44121, 44360, 44361, 44460, 44461	0,018	25	1	06277	02	0
		44130, 44230, 44235, 44236, 44237, 44238, 44370, 44371, 44470, 44471	0,030	25	1	06277	03	0
		44220, 44221, 44225, 44226	0,030	25	1	06277	10	0
		14460, 14461, 44120, 44121, 44360, 44361, 44460, 44461	0,026	25	1	06277	11	0
		44130, 44230, 44235, 44236, 44237, 44238, 44370, 44371, 44470, 44471	0,030	25	1	06277	12	0

Type	Description	For series/item	 Unit weight  Pieces	ITEM		
				Type	Dim. Hand	Fin. Pers. Spec.
		44220, 44225	0,030	25	1 06277 13 0	
		14460, 44120, 44360, 44460	0,021	25	1 06277 14 0	
		44130, 44230, 44235, 44237, 44370, 44470	0,030	25	1 06277 15 0	
		44221, 44226	0,015	25	1 06277 28 0	
		14461, 44121, 44361, 44461	0,030	25	1 06277 29 0	
		14461, 44121, 44361, 44461	0,018	25	1 06277 32 0	
		14461, 44121, 44361, 44461	0,030	25	1 06277 41 0	

Type	Description	For series/item	 Unit weight  Pieces	ITEM				
				Type	Dim.	Hand	Fin.	Pers.
		14461, 44121, 44361, 44461	0,030	25	1	06277	44	0
		14461, 44121, 44361, 44461	0,032	25	1	06277	71	0
		44219, 44221, 44224, 44226	0,012	25	1	06277	76	0
		14461, 14462, 44121, 44361, 44362, 44461, 44462	0,016	25	1	06277	77	0
		44131, 44231, 44236, 44238, 44371, 44471	0,016	25	1	06277	78	0
		14461, 14462, 44121, 44361, 44362, 44461, 44462	0,030	25	1	06277	80	0



Type	Description	For series/item	 Unit weight  Pieces	ITEM		
				Type	Dim.	Hand
 		44131, 44231, 44236, 44238, 44371, 44471	0,030	25	1	06277 81 0
 		44220, 44225	0,030	25	1	06277 82 0
 		14460, 44120, 44360, 44460	0,030	25	1	06277 83 0
 		44219, 44220, 44221, 44224, 44225, 44226	0,007	25	1	06277 88 0
 		14460, 14461, 14462, 44120, 44121, 44360, 44361, 44362, 44460, 44461, 44462	0,013	25	1	06277 89 0
 		44130, 44131, 44230, 44231, 44235, 44236, 44237, 44238, 44370, 44371, 44470, 44471	0,030	25	1	06277 90 0

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.





44221, 44226

0,030 25 1 06277 91 0





14461, 44121, 44361,
44461

0,030 25 1 06277 92 0





44219, 44220, 44221,
44224, 44225, 44226

0,030 25 1 06277 94 0




14460, 14461, 14462,
44120, 44121, 44360,
44361, 44362, 44460,
44461, 44462









0,030 25 1 06277 95 0























14461, 44121, 44361,
44461













0,027 25 1 06277 97 0



















Type	Description	For series/item	 Unit weight  Pieces	ITEM		
				Type	Dim.	Hand
		44131, 44231, 44236, 44238, 44371, 44471	0,048	12	1	06277 98 0
		44221, 44226	0,023	25	1	06277 99 0
		44219, 44220, 44221, 44224, 44225, 44226	0,019	25	1	06278 01 0
		14460, 14461, 14462, 44120, 44121, 44360, 44361, 44362, 44460, 44461, 44462	0,022	25	1	06278 02 0
		44130, 44131, 44230, 44231, 44235, 44236, 44237, 44238, 44370, 44371, 44470, 44471	0,020	25	1	06278 03 0
		14011, 14013, 14018, 14021, 14351, 14451, 14461, 14511, 44111, 44116, 44121, 44141, 44146, 44151, 44156, 44161, 44166, 44228, 44241, 44246, 44351, 44361, 44451, 44461	0,020	25	1	06278 04 0








Type	Description	For series/item	 Unit weight  Pieces	ITEM				
				Type	Dim.	Hand	Fin.	Pers. Spec.
 		44131, 44231, 44236, 44238, 44371, 44471	0,017	25	1	06278	05	0
 	<ul style="list-style-type: none"> For roller locks item 44230 - 44235 - 44370 - 44470 use nylon insert item 1.06141.82.0 	44220, 44225, 44230, 44235, 44360, 44370, 44460, 44470	0,020	25	1	06278	06	0
 	<ul style="list-style-type: none"> For lock 1.52611.45.0.00.EN on round ABITHAL profile 		0,026	12	1	06278	07	0
 		44220, 44225	0,035	25	1	06278	16	0
 		14460, 44120, 44360, 44460	0,033	25	1	06278	17	0











Type	Description	For series/item	 Unit weight  Pieces	ITEM		
				Type	Dim.	Hand
		44130, 44230, 44235, 44237, 44370, 44470	0,035	12	1	06278 18 0
		44131, 44231, 44236, 44238, 44371, 44471	0,025	25	1	06278 19 0
		44221, 44226	0,025	25	1	06278 20 0
		14461, 44121, 44361, 44461	0,026	25	1	06278 21 0
		44131, 44231, 44236, 44238, 44371, 44471	0,035	25	1	06278 22 0
		44219, 44221, 44224, 44226	0,017	25	1	06278 26 0

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
 		14461, 14462, 44121, 44361, 44362, 44461, 44462	0,022	25	1	06278	27	0	
 	• Use nylon roller insert item 1.06141.82.0	44131, 44231, 44236, 44238, 44371, 44471	0,030	25	1	06278	28	0	
 		44219, 44221, 44224, 44226	0,019	25	1	06278	64	0	
 		14461, 14462, 44121, 44361, 44362, 44461, 44462	0,021	25	1	06278	65	0	
 		44131, 44231, 44236, 44238, 44371, 44471	0,019	25	1	06278	66	0	
 		14461, 14462, 44121, 44361, 44362, 44461, 44462	0,030	25	1	06278	80	0	






Type	Description	For series/item	Unit weight 	Pieces 	ITEM	Type	Dim.	Hand	Fin.	Pers.	Spec.
		16205, 16215, 16225, 16425, 16625, 46215, 46225, 46425, 46435, 46445, 46625	0,025	25	1 06285 25 0						
		16205, 16215, 16225, 16425, 16625, 46215, 46225, 46425, 46435, 46445, 46625	0,035	12	1 06285 27 0						
		46230, 46250, 46450	0,030	25	1 06285 28 0						
	<ul style="list-style-type: none"> For roller locks item 46230 - 46250 - 46450 - 46550 - 46650 - 46750 use nylon insert item 1.06141.76.0 	16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,026	12	1 06285 30 0						
	<ul style="list-style-type: none"> For roller locks item 46230 - 46250 - 46450 - 46550 - 46650 - 46750 use nylon insert item 1.06141.76.0 	16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,035	12	1 06285 32 0						
	<ul style="list-style-type: none"> For roller locks item 46230 - 46250 - 46450 - 46550 - 46650 - 46750 use nylon insert item 1.06141.76.0 	16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,020	12	1 06285 34 0						








Type	Description	For series/item	 Unit weight  Pieces	ITEM Type Dim. Hand Fin. Pers. Spec.
		1 06443 00 0, 1 06443 05 0, 1 06453 05 0, 46200, 46210, 46220, 46420, 46520	0,030 25	1 06285 35 0
	<ul style="list-style-type: none"> For roller locks item 46230 - 46250 - 46450 - 46550 - 46650 - 46750 use nylon insert item 1.06141.76.0 	16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,030 12	1 06285 36 0
		1 06443 00 0, 1 06443 05 0, 1 06453 05 0, 46200, 46210, 46220, 46420, 46520	0,015 25	1 06285 37 0
	<ul style="list-style-type: none"> For roller locks item 46230 - 46250 - 46450 - 46550 - 46650 - 46750 use nylon insert item 1.06141.76.0 	16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,048 6	1 06285 38 0
		16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,035 12	1 06285 40 0
		1 06443 00 0, 1 06443 05 0, 1 06453 05 0, 46200, 46210, 46220, 46420, 46520	0,030 25	1 06285 41 0






Type	Description	For series/item	 Unit weight  Pieces	ITEM				
				Type	Dim.	Hand	Fin.	Pers. Spec.
	<p>• For roller locks item 46230 - 46250 - 46450 - 46550 - 46650 - 46750 use nylon insert item 1.06141.76.0</p>	16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,072	6	1	06285	42 0	
		1 06443 00 0, 1 06443 05 0, 1 06453 05 0, 46200, 46210, 46220, 46420, 46520	0,030	12	1	06285	43 0	
	<p>• For roller locks item 46230 - 46250 - 46450 - 46550 - 46650 - 46750 use nylon insert item 1.06141.76.0</p>	16205, 16215, 16225, 16425, 16525, 16625, 16725, 46215, 46225, 46230, 46250, 46425, 46435, 46445, 46450, 46525, 46550, 46625, 46650, 46725, 46750	0,060	6	1	06285	44 0	
		44620, 44621, 44625, 44626, 44640, 44645	0,030	25	1	06287	01 0	
		14010, 14011, 14012, 14013, 14017, 14018, 14020, 14021, 14350, 14351, 14450, 14451, 14510, 14511, 44110, 44111, 44115, 44116, 44140, 44141, 44145, 44146, 44150, 44151, 44155, 44156, 44160, 44161, 44165, 44166, 44227, 44228, 44240, 44241, 44245, 44246, 44350, 44351, 44450, 44451	0,014	25	1	06287	02 0	


Type	Description	For series/item	Unit weight Kg	Pieces	ITEM			
					Type	Dim.	Hand	Fin.
 		44620, 44621, 44625, 44626, 44640, 44645	0,017	25	1	06287	04	0
 		44630, 44635	0,030	25	1	06287	09	0
 		44620, 44621, 44625, 44626, 44640, 44645	0,030	25	1	06287	10	0
 		14010, 14011, 14012, 14013, 14017, 14018, 14020, 14021, 14350, 14351, 14450, 14451, 14510, 14511, 44110, 44111, 44115, 44116, 44140, 44141, 44145, 44146, 44150, 44151, 44155, 44156, 44160, 44161, 44165, 44166, 44227, 44228, 44240, 44241, 44245, 44246, 44350, 44351, 44450, 44451	0,030	25	1	06287	11	0
 		44630, 44635	0,030	25	1	06287	12	0


Type	Description	For series/item	Unit weight Kg	Pieces	ITEM	Type	Dim.	Hard	Fin.	Pers.	Spec.
		14011, 14012, 14017, 14020, 14350, 14450, 14510, 44110, 44115, 44140, 44145, 44150, 44155, 44160, 44165, 44227, 44240, 44245, 44350, 44450	0,016	25	1 06287 14 0						
		14011, 14012, 14017, 14020, 14350, 14450, 14510, 44110, 44115, 44140, 44145, 44150, 44155, 44160, 44165, 44227, 44240, 44245, 44350, 44450	0,024	25	1 06287 17 0						
		14011, 14013, 14018, 14021, 14351, 14451, 14511, 44111, 44116, 44141, 44146, 44151, 44156, 44161, 44166, 44228, 44241, 44246, 44351, 44451	0,017	25	1 06287 21 0						
	• For roller locks item 44630 - 44635 use nylon insert item 1.06141.55.0	44620, 44621, 44625, 44626, 44630, 44635, 44640, 44645	0,018	25	1 06287 25 0						
		14010, 14011, 14012, 14013, 14017, 14018, 14020, 14021, 14350, 14351, 14352, 14450, 14451, 14452, 14510, 14511, 14512, 44110, 44111, 44115, 44116, 44140, 44141, 44145, 44146, 44150, 44151, 44152, 44155, 44156, 44157, 44160, 44161, 44162, 44165, 44166, 44227, 44228, 44240, 44241, 44245, 44246, 44350, 44351, 44450, 44451	0,015	25	1 06287 26 0						

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM					
					Type	Dim.	Hard	Fin.	Pers.	Spec.
		14010, 14011, 14012, 14013, 14017, 14018, 14020, 14021, 14350, 14351, 14352, 14450, 14451, 14452, 14510, 14511, 14512, 44110, 44111, 44115, 44116, 44140, 44141, 44145, 44146, 44150, 44151, 44152, 44155, 44156, 44157, 44160, 44161, 44162, 44165, 44166, 44227, 44228, 44240, 44241, 44245, 44246, 44350, 44351, 44450, 44451	0,014	25	1	06287	27	0		
		14011, 14013, 14018, 14021, 14351, 14451, 14511, 44111, 44116, 44141, 44146, 44151, 44156, 44161, 44166, 44228, 44241, 44246, 44351, 44451	0,015	25	1	06287	29	0		
		14011, 14013, 14018, 14021, 14351, 14451, 14511, 44111, 44116, 44141, 44146, 44151, 44156, 44161, 44166, 44228, 44241, 44246, 44351, 44451	0,015	25	1	06287	41	0		
		14011, 14013, 14018, 14021, 14351, 14352, 14451, 14452, 14511, 14512, 44111, 44116, 44141, 44146, 44151, 44152, 44156, 44157, 44161, 44162, 44166, 44228, 44241, 44246, 44351, 44451	0,030	25	1	06287	50	0		
	<ul style="list-style-type: none"> For roller locks item 44630 - 44635 use nylon insert item 1.06141.55.0 	44620, 44621, 44625, 44626, 44630, 44635, 44640, 44645	0,022	25	1	06287	64	0		

Type	Description	For series/item	Unit weight 	Pieces 	ITEM	Type	Dim.	Hand	Fin.	Pers.	Spec.
	<p>14011, 14013, 14018, 14021, 14351, 14352, 14451, 14452, 14511, 14512, 44111, 44116, 44141, 44146, 44151, 44152, 44156, 44157, 44161, 44162, 44166, 44228, 44241, 44246, 44351, 44451</p> <p>• For roller locks item 44630 - 44635 use nylon insert item 1.06141.55.0</p>	<p>14011, 14013, 14018, 14021, 14351, 14352, 14451, 14452, 14511, 14512, 44111, 44116, 44141, 44146, 44151, 44152, 44156, 44157, 44161, 44162, 44166, 44228, 44241, 44246, 44351, 44451</p>	0,016	25	1 06287 65 0						
	<p>• For roller locks item 44630 - 44635 use nylon insert item 1.06141.55.0</p>	<p>44620, 44621, 44625, 44626, 44630, 44635, 44640, 44645</p>	0,030	25	1 06287 70 0						
		<p>14011, 14013, 14018, 14021, 14351, 14451, 14511, 44111, 44116, 44141, 44146, 44151, 44156, 44161, 44166, 44228, 44241, 44246, 44351, 44451</p>	0,020	25	1 06287 71 0						
		<p>14011, 14013, 14018, 14021, 14351, 14352, 14451, 14452, 14511, 14512, 44111, 44116, 44141, 44146, 44151, 44152, 44156, 44157, 44161, 44162, 44166, 44228, 44241, 44246, 44351, 44451</p>	0,012	25	1 06287 77 0						
	<p>• For roller locks item 44630 - 44635 use nylon insert item 1.06141.55.0</p>	<p>44620, 44621, 44625, 44626, 44630, 44635, 44640, 44645</p>	0,026	25	1 06287 79 0						


Type	Description	For series/item	Unit weight Kg	Pieces	ITEM			
					Type	Dim.	Hand	Fin.
		14011, 14013, 14018, 14021, 14351, 14451, 14511, 44111, 44116, 44141, 44146, 44151, 44156, 44161, 44166, 44228, 44241, 44246, 44351, 44451	0,023	25	1	06287	80	0
		44620, 44621, 44625, 44626, 44640, 44645	0,012	25	1	06287	88	0
		14010, 14011, 14012, 14013, 14017, 14018, 14020, 14021, 14350, 14351, 14352, 14450, 14451, 14452, 14510, 14511, 14512, 44110, 44111, 44115, 44116, 44140, 44141, 44145, 44146, 44150, 44151, 44152, 44155, 44156, 44157, 44160, 44161, 44162, 44165, 44166, 44227, 44228, 44240, 44241, 44245, 44246, 44350, 44351, 44450, 44451	0,011	25	1	06287	89	0
		44630, 44635	0,030	25	1	06287	90	0
		14011, 14013, 14018, 14021, 14351, 14451, 14511, 44111, 44116, 44141, 44146, 44151, 44156, 44161, 44166, 44228, 44241, 44246, 44351, 44451	0,023	25	1	06287	92	0

Type	Description	For series/item	Unit weight 	Pieces 	ITEM			
					Type	Dim.	Hand	Fin.




44620, 44621, 44625,
44626, 44640, 44645

0,022 25 1 06287 94 0




14010, 14011, 14012,
14013, 14017, 14018,
14020, 14021, 14350,
14351, 14352, 14450,
14451, 14452, 14510,
14511, 14512, 44110,
44111, 44115, 44116,
44140, 44141, 44145,
44146, 44150, 44151,
44152, 44155, 44156,
44157, 44160, 44161,
44162, 44165, 44166,
44227, 44228, 44240,
44241, 44245, 44246,
44350, 44351, 44450,
44451

0,020 25 1 06287 95 0



44630, 44635

0,030 25 1 06287 96 0



14011, 14013, 14018,
14021, 14351, 14451,
14511, 44111, 44116,
44141, 44146, 44151,
44156, 44161, 44166,
44228, 44241, 44246,
44351, 44451

0,017 25 1 06287 97 0